6- Which toxin contains LPS and triggers fever?
A) Endotoxin B) Exotoxin C) Both D) None
7- Which bacterium can be the source of a neurotoxin that belongs to the AB toxin family
and cause a flaccid paralysis?
A) C. diphteriae B) C. botulinum C) C. tetani D) V. cholerae
8- The molecular basis for the effect of cholera toxin on duodenal mucosal cells is
A) Activation of adenylate cyclase
B) Increased activity of potassium pumps
C) Increased generation of cAMP
D) Ribosylation of GTP binding protein
9- Toxemia is
A) Toxins in the host's bloodstream
B) Capacity of microorganisms to produce toxins
C) Inactivated toxin used in a vaccine
D) Antibodies against a specific toxin
10- Any inanimate object capable of being an intermediate in the indirect transmission of an
infectious agent
A) Carrier B) Fomites C) Reservoir of infection D) Pandemic disease
Forth Question: [15 Degrees]
(A)Complete the following (10 Marks):
1-Molecular determinants of pathogenicity include,and
2- Bacteria typically employ proteins known asto attach to host tissues, which
usually are located on ends of
3- Botulinum toxin affects and once across the gut, it is carried in the blood
to
4Toxin produces irreversible muscle contraction.
5Toxin blocks muscle contraction.
(B) Mention the mode of action of the following (5 Marks):
1-Pertussis toxin.
2-Exotoxins.
3-Cholera toxin.
4-EHEC toxin.
5-Endotoxins in the bloodstream. With our Best Wishes
Examiners
DR. Saida Amer
DR. Sameh samir

250/e)

Tanta University	Industrial chemistry		100 B
Faculty of Science	First Term	Course code: CH4155	
Chemistry Department	January 2014	Total Assessment Marks:50	الكنت الملوم
Double major fourth year section		Time allowed: 2Hours	Date: 8/1/2014

(1)- Discuss one of the following

(5 marks)

- a) The manufacturing process of phosphoric acid from thermal process
- b) The four raw materials of industrial chemistry

(2)- Select the right answer of the following

(6 marks)

- a) The raw materials of manufacturing ammonia are
- 1- Air, water and oxygen.
- 2- Air, water and, hydrocarbons.
- 3- Air, nitrogen and, hydrocarbons
- b) The raw material of hydrogen production from Partial oxidation process is
- 1- cyclohexane
- 2- methane
- 3-sulphoric acid
- .c) The raw material of manufacture of white phosphorus is
- 1- calcium phosphate 2- barium phosphate 3-Copper phosphate

(3)- Correct the following sentences

(6 marks)

- a) Hydrazine use as indicator
- b) In Shift Conversion, the carbon monoxide is converted to carbon
- c) White phosphorus use industrial strick plate of matchbox

(4)- complete the following sentences

(8marks)

- a) White phosphorus is chemically active because.....
- b)The equation of hydrogen manufacture from cook is.....
- c) The application of phosphoric acid is.....
- d) The reaction in primary reforming for manufacture of ammonia is......

(5)- Explain briefly the synthesis of the following:

(25 marks)

- a- Poly vinyl chloride from ethane
- b- Poly styrene from benzene
- c- Cellulose acetate from methanol
- d- Rubber from crude oil
- (6) a- Give a brief classification for the types of detergents with examples.
 - b- The structure of the liquid detergent shampoo, soap and non ionic detergent
 - c- Preparation of synthetic detergents
 - d- Powder detergent manufacture.

25/0)

		Tanta University Faculty of Science	4
A 100		Chemistry Department	
Examination for (Credit hours) Students			lents
	Course Title	Pesticides	Course Code: CH4119
Date:	January 2014	Total Asssessment Marks: 50	Time Allowed: 2 hrs

Date: January 2014	l otal Asssessment N	larks: 50 1 time	Allowed: 2 nr	S
1) Mark (\(\sigma\) for the write and (\(\times\)	for the wrong statements	and please correct the	wrong one (1	0 M)
1. Cryolite is injure plant life,	while most of fluorides and	fluosilicates are safer.	()
2. Bentazon, bromacil and chlo	oramben are examples of ins	secticides.	()
3. Systematic poison depends	on contact of pesticide with	the pest. *	()
4. Bordo mixture is a mixture	of copper oxide and calcium	sulfate.	()
5 β -Isomer of gammexane is t	he most toxic isomer to the	insect.	()
II) Choose the correct answer at	nd please write the full che	mical equation (10 M):		
1. Dehdrochlorination of DDT f	ollowed by hydrolysis gives		8	
a) DDA	b) Dicofol	c) Methoxyel	hlor	
2. Effect of heat on γ-isomer of	BHC gives:			
a) 1.2.3-trichloro benzene	b) 1,3,5-trichloro benze	ene c) 1,2,4-triel	hloro benzene	
3. Action of sulphoryl chloride of	on chlordene in benzoyl perc	oxide follwed by oxidation	on gives:	
a) Chlordane	b) Heptachlor epoxide	c) Endrin		
4. Action of Grignard reagent or	n <i>p.p-</i> dichloro benzophenone	e followed by treatment	with H ₂ SO ₄ gi	ves:
a) bis(p-chlorophenyl)propene	b) bis(p-chlorophenyl)	ethene c) bis(p-chl	lorophenyl)me	thane
II) Write the chemical structure	and IUPAC name of the f	ollowing pesticides (10	<u>M):</u>	
1. Anabasine 2. Bentaz	zone 3. DDA	4. Bromacil	5. Paris Green	
IV) Carry out the following con	versions (10 M):			
1. 3-Cyano pyridine into nornico	otine.	2. Dicofol into chl	orobenzilate.	
3. Ethyl alcohol into DDT.		4. Cyclopentadiene	e into aldrin.	
V) Write briefly about each of t	he following (10 M):			
1. Theories explain structure act	ivity relationship of DDT.	2. Insecticidal acti	ion of nicotine	ð.
3. Sulfer compounds as inorgani	ic insecticides.	4. Pharmaco kinet	tics of chloran	nben.
				*
				,
With B	est Wishes, Dr. At	if El-Gharably	,	,,,,,,
			4	



	Tanta University - Faculty of Science - Botany Department EXAMINATION FOR JUNIOR (4 TH YEAR MICROBIOLOGY-CHEMISTRY)			
1969	Course Title	سون التنوع الحيوى	Biodiversity Conservation	Course Code: BO4123
Date	Jan 2014	Term: First	Total Assessment: 100 Marks	Time Allowed: 2 Hrours

السؤال الأول - (50 درجة):

- 1- متى تفضل المحميات العديدة صغيرة الحجم على المحميات المفردة كبيرة الحجم
 - 2- وضح القيمة الإقتصادية للتنوع الحيوى
 - 3- قارن بين محمية الأثر القومي الطبيعي ومحمية التراث العالمي
 - 4- ماهى المبررات الداعية لصون التنوع الحيوى
- 5- ماهو المقصود بالنموذجية كإحدى الخصائص التي تختار على أساسها المحميات الطبيعية

السؤال الثاني - ما هو المفهوم العلمي للمصطلحات التالية (50 درجة):

- 1 النباتات المهددة بالإنقراض
 - 2 العائد النوعى (تنوع بيتا)
 - 3 الهشاشة البيئية
 - 4 محمية المحيط الحيوى
 - 5 الحدائق الوطنية
 - 6 مقياس التصنع
 - 7- السياحة البيئية
 - 8- خاصية التفرد
 - 9- تنوع جاما
 - 10- محمية الحياة التقليدية

Examiner: Dr. Kamal H. Shaltout





TANTA UNIVERSITY FACULTY OF SCIENCE DEPARTMENT OF CHEMISTRY

EXAMINATION FOR LEVEL FOUR STUDENTS (SEMSTER 1) OF CHEMISTRY/BIOCHEMISTRY, GEOLOGY, MICROBIOLOGY, AND ZOOLOGY

COURSE TITLE:

BIO-INORGANIC CHEMISTRY

1ST JANUARY, 2014 TERM: FIRST TOTAL ASSESSMENT MARKS: 50 TIME ALLOWED: 2 HOUR

1. Only by using fully labeled diagram, explain the following (9 marks):

- b. The role of Selenium in the mechanism of action of Glutathione peroxidase.
- c. The pathway of Vanadium accumulation and mechanism of Vanadium reduction.
- d. Copper homeostasis.

2. What are siderophores? Mention their types? Give one example for each type? (4 marks)

3. List and explain (8 marks):

- a. The biological functions of Silicon.
- b. The treatment of Cyanide toxicity.
- c. The biochemical basis of Lithium treatment of psychiatric disorders.
- d. The symptoms of Zinc deficiency.

4. Write the scientific term of the following (4 marks):

- a. Iron storage protein.
- b. Vanadium-containing compounds.
- c. Proteins that reduce cytoplasmic Zinc levels.
- d. Its synthesis is stimulated by iron overload.
- e. Catalyzes Iron oxidation.
- f. Mediates import of divalent metals.
- g. Chromium binding protein.
- h. An inorganic element that is required only by plants and plays a structural role in plant cell wall.

5. What physical techniques could be used most efficiently to determine the following (10 marks):

- a. The presence of a known metal ion in a biomolecule.
- b. Identification of oxygen-iron bonds (Fe=O).
- c. The coordination geometry of heme-containing porphyrins.
- d. The identity of the donor atoms that coordinate the metal ion in a protein.

6. Describe Na⁺/K⁺/MgATPase: Flip-Flop-mechanism? (5 marks)

7. Choose the correct answer of the following questions (10 marks):

- i. What is the coordination of proteins to transition metals?
 - a. Amino acids bind transition metal-1
 - b. Direct coordination to metal active-site
 - c. Indirect coordination: cofactors active-site
 - d. All of the above





TANTA UNIVERSITY FACULTY OF SCIENCE DEPARTMENT OF BOTANY



1969	FOURTH YEAR (CHEMISTRY \ MICROBIOLOGY) FINAL EXAM.			
1909	COURSE TITLE:	Yeast biology		COURSE CODE: MB 4101
DATE: //	January. 2014	TOTAL ASSESSMENT MARKS: 100	TERM: FIRST	Time allowed: 2 hours

Answer the following questions with drawing if possible:-

- I- Give short notes on three only from the following: 30 Mark
 - 1- Pheromones effects on yeast.
 - 2- Classification of the anamorphic yeasts.
 - 3- Growth measurement of yeast.
 - 4- The steps of clamp connections within basidiomycetous yeasts.
- II- Discuss briefly the three life cycles of ascosporogenous yeasts 30 mark
- III- Choose one answer.

10 marks

- 1- Filobasidiella neoformans strains may be:
 - a. Homothallic b. homothallic and heterothallic
 - c. Heterothallic d. sterile
- 2- The yeast name is always added after a valid name at:
 - a. Choose one answer
- b. The species level only
- c. Genus or species level
- d. Non of them
- 3- The Yeasts from growing point of view are better to be growing in:
 - a. Batch culture form b. Continuous culture
 - c. Solid media from
- d. All of them
- 4- DNA/DNA hybridization data are being used:
 - a. To show phylogenetic relationships in both the imperfect genera and species.
 - b. To confirm the yeast identification at species level with reference species c. To determine the similarities between two yeast species d. All of the above
- 5- One of the major characteristics of Feed-batch culture is:
 - a. Medium substrate inhibition and the catabolism repression are minimized.
 - b. The increase in yeast catabolism.
 - c. Medium substrate metabolism d. All of them

See next page

IV - Wark true or talse 10 marks
1- Yeast EMP and HMP both lead through glyceraldhyde-3-P to Pyruvic acid.
[○] True [○] False
2- Colony color, shape, and texture is descriptive features for yeast Colony Shape.
^C True ^C False
3- Absence or presence of arthroconidia, ballistoconidia, blastoconidia in yeast strain is ones of its sexual characteristics.
C True C False
4- Quantification of pheromone concentrations is usually achieved by end-point determination in serial dilutions of the pheromone- containing fractions.
C True C False
5- Continuous culture represents a closed system.
C True C False
V- Complete the following: 20 mark
1- Morphological response of pheromone in <i>S. cerevisiae</i> is
2- Classification of the ascomycetous, yeast-like fungi by(1981): Order:
3- Classification of basidiosporogenous yeasts was based on
4- Growth is defined as
5- The aim of batch culture is to promote formation
but continuous culture is to increaseconcentration.

Best wishes Prof. Dr. Alaa Abou-Zeid

	Copper is
a.	Lewis acid
b.	Not Redox catalyst
c.	Electron transfer and oxygen carrier
	Charge carriers
	What is the reaction catalyzed by alcohol dehydrogenase? Oxygen transport

- b. Oxidation of primary alcohol
- c. Peptide hydrolysis
- d. Deoxygenation of nitrite
- iv. Functional roles of biological magnesium and calcium are _a. Osmotic and electrochemical gradients
- b. Enzyme activators
- c. Photosynthesis
- d. Insoluble phosphate

Good luck Prof. Dr. Mohamed El-Zaria Dr. Hany Elsawy