فيزياد تحبور

	TANTA UNIVERSITY- Faculty of Science -Department of physics				
	EXAMINATION FOR 2 ND LEVEL STUDENTS OF BIOPHYSICS				
	COURSE TITLE:	El	COURSE CODE: PH2284		
DATE:	13 JUNE 2015	TERM: SECOND	TOTAL ASSESSMENT MARKS:100	TIME ALLOWED: 2 HOURS	

Answer the following questions:

First Question:

1- Define the semiconductor materials, distinguish between intrinsic and extrinsic semiconducting materials, and mention the effect of temperature and impurities on them.

[10Marks]

- 2- Let the current density be $J=2\rho\cos^2\varphi\,a_\rho-\rho\sin2\varphi\,a_\varphi\,A/m^2$ within the region 2.1<p<2.5, $0<\varphi<0.1rad$, 6< z<6.1. Find the total current I crossing the surface when :
- (a) $\rho = 2.2$, $0 < \varphi < 0.1 rad.$ 6 < z < 6.1 in the $a_{
 ho}$ direction;
- (b) $\varphi = 0.05$, 2.2< $\rho < 2.5$, 6 < z < 6.1, in the a_{φ} direction.
- (c) Evaluate ∇J at $P(\rho=2.4, \varphi=0.08rad, z=6.05)$.

[15Marks]

Second Question:

- 1- (a) Solve Laplace's equation for the potential field in the homogeneous region between two concentric conducting spheres with radii a and b, b>a, if V=0 at r=b, and V=V_o at r=a.

 (b) Find the capacitance between them.
- (b) Find the capacitance between them. [15Marks] 2- Conducting cylinders at ρ = 2cm and ρ = 8cm in free space are held at potentials of 60 mV and -30 mV, respectively, (a) Find E $_{\rho}(\rho)$, (b) Find the surface on which V=30mV.

[10Marks]

Third Question:

1- Write and explain the integral form of the four Maxwell equations under static conditions.

[10Marks]

2- A current filament carrying 15A in the a_z direction lies along the entire z axis. Find the value and direction of the produced magnetic field intensity H in Cartesian coordinates at P ($\sqrt{20}$, 0,0). [10Marks]

Fourth Question:

A portion of a sphere is specified by r=4, $0 \le \theta \le 0.1\pi$, $0 \le \phi \le 0.3\pi$, and the closed path forming its perimeter is composed of three circular arcs.

For the given field: $H = 6r \sin \varphi \ a_r + 18r \sin \theta \cos \varphi \ a_{\varphi}$.

- (a) Find the total current outward from this surface.
- (b) Evaluate each side of Stokes' theorem.

[30Marks]

© BEST WISHES **©**

EXAMINERS

DR. REDA EL-SAYED EL-SHATER

PROF. DR. SAMIA AHMED SAAFAN



DATE

TANTA UNIVERSITY FACULTY OF SCIENCE DEPARTMENT OF PHYSICS

EXAMINATION FOR SECOND YEAR

COURSE TITLE: Physical Optics COURSE CODE: PH2222

10/6/2015 TERM:SECOND TOTAL ASSESSMENT MARKS: 100 TIME ALLOWED: 2 HOURS

ANSWER ALL QUESTIONS:

- 1-a)Find the superposition of two S.H.M. along the same line, have the same frequency and different amplitudes.
- b)Describe Fresnel's biprism, Explain how the wave length of light can be determined with it's help.
- 2-a) How will you determine the wave length by using Michelson interferometer.
- b) In Newton's ring experiment , if drop of water (n=1.33) be placed in between the lens and the plate , the diameter of $10^{\underline{th}}$ ring is found to be 0.6 cm , obtain the radius_of curvature of the face of the lens in contact with the plate. (λ of light used 6000A)
- 3- Derive an expression for the intensity at a point in the Fraunhofer type of diffraction produced by N nearby parallel narrow slits illuminated by monochromatic light.
- 4- a) Give three methods producing plane polarized light.
- b)Calculate the least width of a plane diffraction grating having 500 line /cm which will just resolve in the second order the sodium lines of wavelength 5890 and 5896 A 0

0 1	1 1	
Good	mck	



اختبار نهائي قيزياء حديثة الفصل الثاني للعام الأكاديمي ٢٠١٥-٢٠١٥ ١٠٠ درجة الزمن ساعتان تاريخ الامتحان ٢/٢ /٢٠١٥

جامعة طنطا كلية العلوم قسم الفيزياء

اسم الطالب

ثابت بلانك $=6.62 \times 10^{-34}$ شحنة الالكترون $=1.6 \times 10^{-34}$ كولوم

2.1x10⁻³¹ Kg كتلة الإلكترون

ثابت كولوم K= 9x10⁹

(20 marks)

السؤال الاول

8 marks -

ضع علامة √ أمام العبارة الصحيحة وعلامة x أمام العبارة الخطأ

١- تنطلق الكترونات من النحاس عند سقوط الاشعة المرئية عليه حيث الطول الموجي للضوء المرئي يتراوح بين 4000 الى 7000A وتردد العتبة للنحاس 1.13x10¹⁵Hz.

٢- اذا كانت طاقة الفوتون J 1.6 x 10¹³ J فانه ممكن ان يتحول الى مادة.

٣- من الممكن ان ينتج زوج واحد من الالكترونات او زوج واحد من البوزيترونات عند فناء الفوتون.

٤- الطيف المميز للأشعة السينية يعتمد على نوعى عنصر مادة الهدف ولايعتمد على فرق الجهد بين الانود والكاثود في الانبوية.

حهد الايقاف يعتمد على تردد الموجة الساقطة على سطح المعدن ولايعتمد على شدتها
 ٢- يحدث ازاحة للطول الموجي الذي عنده اعلى اشعاعية كلية للجسم الاسود تجاه الاطوال الموجية الاقل والترددات الاعلى وذلك بزيادة درجة حرارة الجسم الاسود.

12 marks− ₩

اختار الإجابة المناسبة من الإجابات الموجودة بعد كل عبارة من العبارات التالية:

1-اذا كانت دالة الشغل للنحاس هي 4.77 فان تردد الاشعة التي تسقط على النحاس لكي تطلق الكترونات ذات طاقة عظمى $E_{\rm max}=10$ هي

التصادم ٨=0.724٨ فان طاقة حركة الالكترون هي

3- إذا كان الطول الموجيالأعظم الأشعة الشمس $\lambda = 4900 A_{\text{max}}$ فان درجة حرارة الشمس هي (ثابت فين $\lambda = 10^{-3} = 10^{-3}$)

8591k- 2 1859k- 5 9517k- 4 5918k-1

4 - طاقة حركة الالكترون الذي يجب ان يمتلكها لكي تكون طول موجة دى بروي المصاحبة لحركته 1A

350ev - 2 250ev - 5 150ev - 4 510ev - 1

5- اذا كانت طاقة الربط اذرة الهيدروجين هي 13.6 ev فان نصف قطر ذرة الهيدروجين

0.95A - ح 0.53A - ح 0.67 A - أ

6- سافر رائد فضاء بسرعة v= 0.99c نحو احد النجوم البعيدة وكان عمره ٢٠ سنة ثم عاد للأرض بعد أن أمضى حسب تقويمه الشخصي ٥ سنوات فان زمن رحلته لمراقب من على الأرض بالسنوات

د-13.6

ح –25.4

ب- 35.1

23.2 - 1

الاسئلة المقالية

السؤال الثاني(32 marks)

(10 marks) -1

اثبت ان طول المادة يتقلص عند التحرك بسرعة

(10 marks) - 2

اثبتأن $\phi_0 = h \theta_0$ حيث θ_0 تردد العتبة للإصدار الكهروضوئي و ϕ_0 دالة الشغل .

(12 marks)-3

أ - ارسم مستويات الطاقة لذرة الهيدروجين واحسب قيم طاقة هذه المستويات.

 $c \gg v$ عند عند الكلاسيكية عند و بالى طاقة الحركة الكلاسيكية عند $c \gg v$

السؤال الثالث(30 marks)

(10 marks) -1

 E_0 الطاقة الكلية E_0 الطاقة السكونية الجسم تكتب على الصورة V=c [$\sqrt{1-(\frac{E_0}{E})^2}$ الطاقة السكونية الجسم .

(10 marks)-2

من وجهة نظر الفيزياء الكلاسيكية اذا كان الشك في في تحديد تردد موجة هو $\leq 1.\Delta t$ استنتج الشك في تحديد الطول الموجى

(10 marks)-3

حصل كومبتون على المعادلة التالية من قوانين حفظ الطاقة وكمية التحرك لتفسير تفاعل الفوتون مع الالكترون $m_0\,c^2(\vartheta-\vartheta^1)=h\vartheta\vartheta^1(1-\cos\phi)$ عين التغير في الطول الموجي بدلالة زاوية الاستطارة ϕ .

السؤال الرابع (18 marks)

(8 marks)-1

عند حدوث حيود من الرتبة الاولى للالكترونات طاقة حركتها 54evمن بلورة النيكل ذات المسافات البينية بين مستوياتها البلورية d=2.15 A عند زاوية حيود $\theta=50^{\circ}$ احسب الطول الموجي المصاحب باستخدام الخاصية الموجية والخاصية الجسيمية للإلكترون d=1.00

(5 marks)-2

اثبت انه عند فناء الالكترون بوزيترون ينتج زوج من الفوتونات لهما نفس الطاقة

(5 marks) -3

اذكر السلاسل الطيفية لذرة الهيدروجين مع التوضيح بالرسم والقانون المستخدم لكل سلسلة طيفية

かみなりがん



DATE:

TANTAUNIVERSITY FACULTY OF SCIENCE DEPARTMENT OF ZOOLOGY

EXAMINATION FOR SECOND YEAR STUDENTS (SOPHOMERES) OF BIOPH/ZOOL

COURSE TITLE: Invertebrate Biology COURSE CODE: ZO 2242

TERM: TOTAL ASSESSMENT TIME ALLOWED: TWO HOURS

MARKS:150 HOURS

Answer the Following questions:

diswer the ronowing questions.
First Question (35 marks) 1- Give a brief definition to the following: (12 marks) a) Swarming b) Epitoky c) Schizocoelic coelom d)Erythrocrurin 2- Describe with labeled drawing the digestive system of Hirudo medicinalis with special reference to the modification occurred to adapt its feeding mechanism (11 marks) 3- Mention the function of: a) Hirudin b) Nuchal organ c) Nephrostome d) Botryoidal tissue (12 marks)
Section (1) (12 marks) 1- Answer the following: a- Put true or false and correct the false statements: (3 marks) 1- Arthropods have a well developed muscular system composed of striated muscles and share in the formation of the body wall. 2- The body of arthropods with internal and endodermal hard exoskeleton. 3- Execration in crustacean animals is performed by Malpighian tubules b- Complete the following: (3 marks) 1- The diversity and success of arthropods are largely related to their and
2- With fully labeled drawing explain the digestive system in prawn. (3 marks) 3- Illustrate by only Labelled drawing: (3 marks) i - Body wall of prawn. ii - Green gland of prawn iii- Schedule of circulation in prawn Section (2) (28 marks)
1-Explain in details types of crustacean larvae and make a fully labeled drawing if possible (6 marks) 2-Mention the function of the following: a. Spinneretes in Spider (12 marks) b. Phyllopodia in Artemia c. Cirriform appendages in Balanus d. Stigmata in Scorpion e. Sleeve valve in oesophagus of Scorpion f. Palpal organ in Spider
aconsidered as the most primitive crustacean in phylum arthropods because of b. The main differences between Artemia and Daphnia in
d. The respiration in Arachnida byand excretion by



Fertilization in scorpion is...... and male grasps the female by...... Third Question (40 Marks) 1- Mention 2 items only of the economic importance of Mollusks. (4 Marks) 2- Mention three of the gill plate functions in Anodonta. (3 Marks) 3- Mention three of the defending strategies of Octopus to defend itself. (3 Marks) 4- Put √ or x and correct the wrong statements (10 Marks, 2 marks each) a- Anodonta has a single protractor muscle b- Hexabranchus belongs to gastropods c- Anodonta has radula d- Sepia has no shell e. All mollusks have bilateral symmetry 5- Complete (10 Marks) a- The study of molluscs is called ----b- The circulatory system is opened in all molluscs except ---c- The sense organs of Anodonta include ----- , ----- and ----- and ----d- The shell of Anodonta has three layers -----, -----, e. Pinctada has an economic importance because ----f- ----is a structure used in jet propulsion in Sepia. 6- Give the scientific terms: (6 Marks, 2 marks each) a- It is a period of inactivation and withdrawal of the snail body during summer season. b- It is a phenomenon in the larval stages of gastropods in which the mantle cavity and the anus turned to the anterior portion of the body. c- Pearl mother layer. 7- Define the homing ability of the Chiton. (2 marks) 8- Give one evidence only to prove that Cephalopods are intelligent animal. (2 Marks) Fourth Question (35 marks) 1-Write on the following (15 marks) a. Digestive system and digestion in Sea star b. Relation between phylum Echinodermata and Chordata c. Classification and main specific characters of phylum Echinodermata 2- By drawing only show the following (15 marks) a. Water vascular system b. Digestive system of Sea urchin c. T.S of arm of Brittle star 3- Mention the economic importance of Echinodermata (5 marks) Prof. El-Sayed Taha Rizk Prof. Nahla Omran **EXAMINERS** Prof. Hoda kamal Ass.Prof. Wesam Salama

فيزيار فبردم

	TANTA UNIVERSITY FACULTY OF SCIENCE BOTANY DEPARTMENT				
	Examination / FOR LEVEL TWO BIOPYSICS				
1969	Course Title:	Plant Diseases caused by		C - C 1 DO 2240	
1,707	Microrganisms,		Insects and Nematode	Course Code:BO 2240	
30-5-2015		Term: Second	Total assessment marks: 150 .	Time Allowed: 2 hours	

Answer the following questions

First question: (35 Marks)

- 1- Explain plant disease caused by Citrus black fly.
- 2- Mention the pathogen (etiology), symptoms of dry brown rot of stone fruit disease and How to control the disease <u>draw</u> the sexual stage <u>only</u> of the pathogen.

Second question: (40 Marks)

- 1- Write and draw life cycle only of pathogen Pythium sp.
- 2-Explain four stages of development of disease(Inoculation-Penetration-Infection and incubation period).

Third question: Answer the following: (50 Marks)

- a- What are the symptoms and life cycle of Crown Gall disease with drawing.
- b- Describe the symptoms of bacterial leaf spot disease caused by Xanthomonas campestris.
- c- What are viruses and symptoms Yellow dwarf of Onion disease.
- d- How can nematode use plant cell sap and describe life cycle of Coconut palm(Aphelenchus cocophilus
- e- Talk briefly method for control of Aphelenchoides besseyi (A.oryzae) . nematode disease.

Fourth question: Complete the following sentences : (25 Marks)

1 -Bacterial Soft Rot disease caused	l by	0 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
2 -Scabies of Potato caused by				
3 - Bacterial Crown Gall disease cau	sed by			
4- All nematodes have	which	used to Plant cells.		
5- Aphelenchoides besseyi	cause	diseases	\mathbf{of}	Rice.
Best wihes				
Prof. Dr. Susan Assawah	Pro	f.Dr.Eman Abd El-Zaher		

الموري والمرال و لم والمرال والمركل والمركل والمركل



TANTA UNIVERSITY FACULTY OF SCIENCE DEPARTMENT OF PHYSICS

EXAMINATION OF SOPHOMORES (SECOND YEAR) STUDENTS OF PHYSICS

DATE: 23\05\2015 TERM: SECOND TOTAL ASSESSMENT MARKS:100 TIME ALLOWED: 2HOURS

Answer the following 4 questions:

Question 1

a) Prove that the velocity (V) of a particle in plane polar coordinates is given by:

$$V = \dot{r}e_r + r\dot{\theta}e_\theta$$

Where e_r is the unit radial vector and e_{θ} is the unit transverse vector. \mathbf{r} is the position vector.

(20 marks)

b) Find the magnitude of the angular momentum (use the velocity expression in a).

(10 marks)

Question 2

A particle moving in a central field describes the spiral orbit $r=r_0e^{k\theta}$. Show that:

a) The force law is inverse cube.

(15 marks)

b) θ varies logarithmically with t.

(10 marks)

Question 3

Apply Lagrange's equations to find the equations of motion for:

a) One dimensional harmonic oscillator in which the damping force is proportional to the velocity.

(15 marks)

b) A particle moving in a plane polar coordinates under a central force.

(10 marks)

Question 4

Show that the radius for a circular orbit of a synchronous (24-h) Earth satellite is about 6.6 Earth radii. (*Earth Radius= 6380 km*; acceleration of gravity =9.8 m/s²)

(20 marks)

EXAMINERS	DR. MOHAMED SHAHEEN
u u	

***أطيب التمنيات بالتوفيق ***

Tanta University Faculty of Science

Department of Physics

Final First Term Examination

Academic year 2014/2015

Mathematical Physics Course (2)

Course Code: PH 2262

Physics

Date: 27/5/2015

Time allowed: 2 hours



Solve the Following Questions:

First Question: (25 marks)

(a) Find both the general and particular solutions of the homogeneous differential equation:

$$y'' + 4y' + 4y = 0$$

When y(0) = 3,

(b) Find the general solution of the following differential equation, using the undetermined coefficients method:

$$y'' + 2y' + y = x$$

Second Question: (25 marks)

(a) Using the inverse differential operator method to find the general solution of the equation

$$y'' - 4y = 8xe^{2x}$$

(b) Solve the differential equation of simple harmonic motion

v'(0) = 1

$$y'' + \omega^2 y = 0$$

Third Question: (25 marks)

(a) Solve the next differential equation using the variation of parameters method

$$y'' + y = \sin(2x)$$

(b) Find the general solution of the equation:

$$(y'' + 1)y = \sin x$$

Fourth Question: (25 marks)

(a) Discuss briefly the following second order differential equations:

(i) The wave equation

(ii) The diffusion equation

(iii) Laplace's equation

(iv) Poisson's equation

(v) Schrodinger's equation

(b) Find the general solution of the two-dimensional Laplace equation

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$$